

Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application.

Listing of Claims:

1. (Previously Presented) A method for transmitting electronic data, the method comprising:

- receiving, at a communications system host, first electronic data transmitted from a first sender and addressed to an intended recipient, the first electronic data comprising a first electronic mail message;
- receiving, at the communications system host, second electronic data from a second sender and addressed to the intended recipient, the second electronic data comprising a second electronic mail message;
- determining attributes of at least one of the first electronic data and the second electronic data;
- endorsing the first electronic data or the second electronic data based on the determined attributes;
- modifying one of the first electronic data and the second electronic data with endorsement information, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and
- enabling access to the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:
 - enabling access comprises presenting the endorsement information to the intended recipient,

the endorsement information is capable of being rendered by the intended recipient as a graphical user interface indicative of endorsement, and
the graphical user interface includes a border indicative of endorsement around contents of the first or second electronic data.

2. (Previously Presented) The method of claim 1 wherein endorsing comprises identifying the first or second sender.

3. (Previously Presented) The method of claim 2 wherein the first or second sender is identified by a screen name.

4. (Previously Presented) The method of claim 2 wherein the first or second sender is identified by an IP address.

5. (Previously Presented) The method of claim 1 wherein endorsing further comprises designating a level of security corresponding to the sender of the electronic data.

6. (Previously Presented) The method of claim 1 wherein endorsing further comprises verifying that at least one attribute of the electronic data is an attribute of an authorized sender.

7. (Previously Presented) The method of claim 6 wherein the attribute comprises a screen name.

8. (Previously Presented) The method of claim 6 wherein the attribute comprises an IP address.

9. (Previously Presented) The method of claim 1 wherein endorsing further comprises designating a level of security corresponding to the determined attribute.

10. (Previously Presented) The method of claim 1 further comprising:
storing content of the first and second electronic data in a first storage area of the communications system host; and
storing attributes of the first and second electronic data in a second storage area of the communications system host.

11. (Cancelled)

12. (Previously Presented) The method of claim 1 wherein the endorsement information is presented with the determined attributes.

13. (Previously Presented) The method of claim 1 wherein the endorsement information is presented with content of the first and second electronic data.

14. (Previously Presented) The method of claim 1 wherein the endorsement information is capable of being rendered by the intended recipient as an icon indicative of endorsement.

15-18. (Cancelled)

19. (Previously Presented) An apparatus for transmitting electronic data, the apparatus comprising a host configured to:

receive, at a communications system host, first electronic data transmitted from a first sender and addressed to an intended recipient, the first electronic data comprising a first electronic mail message;

receive, at the communications system host, second electronic data from a second sender and addressed to the intended recipient, the second electronic data comprising a second electronic mail message;

determine attributes of at least one of the first electronic data and the second electronic data;

endorse the first electronic data or the second electronic data based on the determined attributes;

modify one of the first electronic data and the second electronic data with endorsement information the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and

enable access to the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:

the host being configured to enable access comprises the host being configured to present the endorsement information to the intended recipient,

the endorsement information is capable of being rendered by the intended recipient as a graphical user interface indicative of endorsement, and

the graphical user interface includes a border indicative of endorsement around contents of the first or second electronic data.

20. (Previously Presented) A computer program, tangibly embodied on a machine-readable storage device, comprising instructions for:

receiving, at a communications system host, first electronic data transmitted from a sender and addressed to an intended recipient, the first electronic data comprising a first electronic mail message;

receiving, at a communications system host, second electronic data transmitted from a sender and addressed to an intended recipient, the second electronic data comprising an second electronic mail message;

determine attributes of at least one of the first electronic data and the second electronic data;

endorsing the first electronic data or the second electronic data based on the determined attributes;

modifying one of the first electronic data and the second electronic data with endorsement information, the endorsement data comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and

enabling access to the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:

enabling access comprises presenting the endorsement information to the intended recipient,

the endorsement information is capable of being rendered by the intended recipient as a graphical user interface indicative of endorsement, and

the graphical user interface includes a border indicative of endorsement around contents of the first or second electronic data.

21-24. (Cancelled)

25. (Previously Presented) A method for receiving electronic data transmitted from a sender to an intended recipient through a communications system, the communications system endorsing the electronic data based on attributes of the electronic data, the method comprising:

receiving, from a communications system host, first electronic data, the first electronic data comprising a first electronic mail message from a first sender and addressed to an intended recipient;

receiving, from the communications system host, second electronic data, the second electronic data comprising a second electronic mail message from a second sender and addressed to the intended recipient;

receiving, from the communications system host, endorsement information indicating that one of the first electronic data or the second electronic data has been endorsed, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and

presenting the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:

the endorsement information is rendered by the intended recipient as a graphical user interface indicative of endorsement, and

the graphical user interface includes a border indicative of endorsement around contents of electronic data.

26. (Previously Presented) The method of claim 25 wherein the endorsement information is further rendered by the intended recipient as an icon indicative of endorsement.

27-28. (Cancelled)

29. (Previously Presented) The method of claim 25 wherein the endorsement information is rendered with contents of electronic data.

30. (Previously Presented) The method of claim 25 wherein the endorsement information is rendered with attributes of electronic data.

31-32. (Cancelled)

33. (Previously Presented) An apparatus for receiving electronic data transmitted from a sender to an intended recipient through a communications system, the communications system endorsing the electronic data based on attributes of the electronic data, the apparatus comprising a client configured to:

receive, from a communications system host, first electronic data, the first electronic data comprising a first electronic mail message from a first sender and addressed to an intended recipient;

receive, from the communications system host, second electronic data, the second electronic data comprising a second electronic mail message from a second sender and addressed to the intended recipient;

receive, from the communications system host, endorsement information indicating that the first electronic data or the second electronic data has been endorsed, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and

present the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:

the endorsement information is rendered by the intended recipient as a graphical user interface indicative of endorsement, and

the graphical user interface includes a border indicative of endorsement around contents of electronic data.

34. (Previously Presented) A computer program tangibly embodied on a machine-readable storage device for receiving electronic data transmitted from a sender to an intended

recipient through a communications system, the communications system endorsing the electronic data based on attributes of electronic data, the computer program comprising instructions for:

receiving, from a communications system host, first electronic data, the first electronic data comprising a first electronic mail message from a first sender and addressed to an intended recipient;

receiving, from the communications system host, second electronic data, the second electronic data comprising a second electronic mail message from a second sender and addressed to the intended recipient;

receiving, from the communications system host, endorsement information indicating that the first electronic data or the second electronic data has been endorsed, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages; and

presenting the first electronic data and the second electronic data concurrently with the endorsement information that visually distinguishes the first electronic data from the second electronic data in a single electronic mail inbox, the electronic mail inbox configured to generate a separate user interface that displays content of electronic data in response to manipulation of the first electronic data or the second electronic data, wherein:

the endorsement information is rendered by the intended recipient as a graphical user interface indicative of endorsement, and

the graphical user interface includes a border indicative of endorsement around contents of electronic data.

35-39. (Cancelled)

40. (Previously Presented) The method of claim 1 wherein modifying the electronic data includes enabling a messaging application to visually distinguish the endorsed messages from the nonendorsed messages.

41. (Previously Presented) The method of claim 40 wherein enabling the messaging application to visually distinguish between the endorsed and nonendorsed messages includes presenting an endorsed icon for an endorsed electronic mail message in an electronic mail inbox that also includes nonendorsed electronic mail messages.

42. (Previously Presented) The method of claim 58 wherein presenting endorsement information includes presenting an endorsed envelope, an endorsed seal, or an endorsed border for the endorsed electronic mail message that is differentiated from other envelopes, seals, or borders used in nonendorsed electronic mail messages.

43. (Previously Presented) The method of claim 1 wherein modifying the electronic data includes appending endorsement information to originally-received electronic data.

44. (Previously Presented) The method of claim 1 wherein modifying the electronic data includes instructing a rendering application that the electronic data represents endorsed communications.

45. (Previously Presented) The method of claim 1 wherein modifying the electronic data with endorsement information includes configuring a messaging communication to reflect endorsement by a messaging provider.

46. (Previously Presented) The method of claim 1 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

47. (Previously Presented) The apparatus of claim 19 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

48. (Previously Presented) The computer program of claim 20 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

49. (Previously Presented) The method of claim 25 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

50. (Previously Presented) The apparatus of claim 33 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

51. (Previously Presented) The computer program of claim 34 wherein the first electronic data is endorsed based on the determined attributes and the first electronic data is modified with endorsement information.

52. (Cancelled)

53. (Previously Presented) The method of claim 1, wherein the first electronic data is endorsed based on the determined attributes, the second electronic data is not endorsed based on the determined attributes, and the first electronic data is modified with endorsement information.

54. (Previously Presented) The method of claim 1, wherein the second electronic data is endorsed based on the determined attributes, the first electronic data is not endorsed based on the determined attributes, and the first electronic data is modified with endorsement information.

55. (Previously Presented) The method of claim 1, wherein the first sender and the second sender are the same sender.

56. (Previously Presented) The method of claim 1, wherein the first sender is the communications system host, and the first electronic data is endorsed based on the determined attributes.

57. (Previously Presented) The method of claim 1, wherein the attributes include information associated with electronic data other than content of the electronic data.

58. (Currently Amended) A computer program tangibly embodied on a machine-readable storage device, the computer program including instructions that, when executed, display a graphical user interface for rendering information associated with electronic data transmitted from a sender to an intended recipient, the graphical user interface comprising an electronic mail inbox configured to:

receive ~~concurrently present~~ first received electronic data comprising an endorsed electronic mail message, second received electronic data comprising a nonendorsed electronic mail message, and endorsement information associated with one of the first electronic data and the second electronic data, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages;

concurrently present the first received electronic data and the second received electronic data;

receive a selection of ~~at least one of the first electronic data or the second electronic data;~~
and

present content of the selected electronic data in a separate graphical user interface, the separate graphical user interface comprising a body of an electronic mail message and a border around the content of the selected electronic data indicating ~~whether that~~ the selected electronic data is endorsed.

59. (Currently Amended) An apparatus comprising:

a computer-readable medium coupled to one or more computers and storing instructions that, when executed, display a graphical user interface for rendering information associated with electronic data transmitted from a sender to an intended recipient, the graphical user interface comprising an electronic mail inbox configured to:

receive ~~concurrently present~~ first received electronic data comprising an endorsed electronic mail message, second received electronic data comprising a nonendorsed electronic mail message, and endorsement information associated with one of the first electronic data and the second electronic data, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages;

concurrently present the first received electronic data and the second received electronic data;

receive a selection of ~~at least one of the first electronic data or the second electronic data;~~ and

present content of the selected electronic data in a separate graphical user interface, the separate graphical user interface comprising a body of an electronic mail message and a border around the content of the selected electronic data indicating ~~whether~~ that the selected electronic data is endorsed.

60. (Currently Amended) A method of presenting electronic data, the method comprising:

displaying, at a display monitor of a client system, a graphical user interface for rendering information associated with electronic data transmitted from a sender to an intended recipient, the graphical user interface comprising an electronic mail inbox configured to:

received ~~concurrently present~~ first received electronic data comprising an endorsed electronic mail message, second received electronic data comprising a nonendorsed electronic mail message, and endorsement information associated with one of the first electronic

data and the second electronic data, the endorsement information comprising presentable information that visually distinguishes endorsed messages from nonendorsed messages;

concurrently present the first received electronic data and the second received electronic data;

receive a selection ~~of at least one~~ of the first electronic data ~~or the second electronic data~~; and

present content of the selected electronic data in a separate graphical user interface, the separate graphical user interface comprising a body of an electronic mail message and a border around the content of the selected electronic data indicating ~~whether~~ that the selected electronic data is endorsed.